

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)

BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY PRODUCT CONTROL SECTION 11805 SW 26 Street, Room 208 T (786) 315-2590 F (786) 315-2599 www.miamidade.gov/economy

NOTICE OF ACCEPTANCE (NOA)

CGI Windows & Doors 10100 NW 25th Street Miami, FL 33172

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series "Sentinel 130" Aluminum Fixed Window - L.M.I.

APPROVAL DOCUMENT: Drawing No. W10–02, titled "Series Sentinel 130 Alum Fixed Window (L.M.I.) (S.M.I.)", sheets 1, 1.1, 2, 3, 4, 5 and 6 of 6, dated 01/30/10, with revision E dated 07/21/14, prepared by Al–Farooq Corporation, signed and sealed by Javad Ahmad, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, model/series, and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA# 11-1031.06 and consists of this page 1 and evidence pages E-1 and E-2, as well as approval document mentioned above.

The submitted documentation was reviewed by Manuel Perez, P.E.

MIAMI-DADE COUNTY

M/10/9/14

NOA No. 14-0731.05 Expiration Date: September 22, 2015 Approval Date: October 16, 2014

Page 1

CGI Windows & Doors

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

- 1. Manufacturer's die drawings and sections.
- 2. Drawing No. W10–02, titled Series Sentinel 130 Alum Fixed Window (L.M.I.) (S.M.I.), sheets 1, 1.1, 2, 3, 4, 5 and 6 of 6, dated 01/30/10, with revision E, dated 07/21/14, prepared by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.

B. TESTS

- 1. Test reports on: 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94

along with marked—up drawings and installation diagram of a Sentinel 130 aluminum fixed window, prepared by Hurricane test Laboratory, LLC, Test Report No. **HTL-0080-0103-10**, dated 03/30/10, signed and sealed by Vinu J. Abraham, P.E. (Submitted under NOA No.10-0510.13)

C. CALCULATIONS

- 1. Statement letter of conformance, complying with FBC-5th Edition (2014), and of no financial interest, dated July 18, 2014, issued by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.
- 2. Glazing complies with ASTM E1300-09.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

- 1. Notice of Acceptance No. 11-0624.02 issued to E.I. DuPont DeNemours & Co., Inc. for their "DuPont SentryGlas® Interlayer" dated 08/25/11, expiring on 01/14/17.
- 2. Notice of Acceptance No. 14-0423.17 issued to Eastman Chemical Company (MA) for their "Saflex Clear and Color Glass Interlayers" dated 0619/14, expiring on 05/21/16.
- 3. Notice of Acceptance No. 14-0423.15 issued to Eastman Chemical Company (MA) for their "Saflex CP Saflex and Saflex HP Composite Glass Interlayers with PET Core" dated 06/19/14, expiring on 12/11/18.

Manuel Perez, P.E. Product Control Examiner NOA No. 14-0731.05

Expiration Date: September 22, 2015 Approval Date: October 16, 2014

CGI Windows & Doors

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

F. STATEMENTS


- 1. Statement letter of conformance, complying with FBC-5th Edition (2014), and of no financial interest, dated July 18, 2014, issued by Al-Farooq Corporation, signed and sealed by Javad Ahmad, P.E.
- 2. Laboratory compliance letter for Test Report No. HTL-0080-0103-10, issued by Hurricane Test Laboratory, LLC, dated March 30, 2010, signed and sealed by Vinu J. Abraham, P.E. (Submitted under NOA No.10-0510.13)


G. OTHERS

1. Notice of Acceptance No. 11-1031.06, issued to CGI Windows & Doors, for their Series "130 Sentinel" Aluminum Fixed Window – L.M.I. approved on 01/12/12 and expiring on 09/22/15.

Manuel Perez, P.E.
Product Control Examiner
NOA No. 14-0731.05

Expiration Date: September 22, 2015 Approval Date: October 16, 2014






DESIGN LOAD CAPACITY - PSF							
FLANG	E DIMS.	BUCK	DIMS.	GLASS TYP	ES 'C'&'C1'	GLASS TYP	ES 'D'&'D1'
WIDTH (W)	LENGTH (L)	WIDTH (W)	LENGTH (L.)	EXT.(+)	1NT.(-)	EXT.(+)	1NT.()
24"		23"		80.0	80.0	80.0	80.0
30"		29"	35*	80.0	0.08	80.0	80.0
36"		35"		80.0	80.0	80.0	80.0
42"	36"	41"		80.0	80.0	80.0	80.0
48"	36	47"		80.0	80.0	80.0	80.0
54"		53*		80.0	80.0	80.0	80.0
60"		59"		80.0	80.0	80.0	80.0
61"		60"	•	80.0	80.0	80.0	80.0
24"		23"		80.0	80.0	80.0	80.0
30"		29"		80.0	80.0	80.0	80.0
36"		35"		80.0	80.0	80.0	80.0
42"		41"		70.2	70.2	80.0	80.0
48"	48"	47"	47"	61.3	61.3	80.0	80.0
54"		53"	<u> </u>	61.3	61.3	80.0	80.0
60"		59"		61.3	61.3	80.0	80.0
61"		60"		61.3	61.3	80.0	80.0
24"		23"		80.0	80.0	80.0	80.0
30"		29"		80.0	80.0	80.0	80.0
36"	1	35"		80.0	80.0	80.0	80.0
42"		41"		70.2	70.2	80.0	80.0
48"	60"	47"	59"	61.3	61.3	80.0	80.0
54"		53"		54.3	54.3	72.5	72.5
60"		59"		48.8	48.8	65.1	65.1
61"		60"		48.8	48.8	65.1	65.1
24"	+	23"		80.0	80.0	80.0	80.0
30"		29"		80.0	80.0	80.0	80.0
36"		35"		80.0	80.0	80.0	80.0
42"		41"		70.2	70.2	80.0	80.0
42 48"	72"	47"	71"	61.3	61.3	80.0	80.0
54"		53"		54.3	54.3	72.5	72.5
l		59"	1	48.8	48.8	65.1	65.1
60" 61"		60"		48.0	48.0	64.0	64.0
24"	1	23"	+	80.0	80.0	80.0	80.0
				80.0	80.0	80.0	80.0
30" 36"		29 " 35"		78.2	78.2	80.0	80.0
36"		1			70.0		80.0
42°	84"	41"	83"	70.0	1	80.0	80.0
48"		47"		61.3	61.3 54.3	72.5	72.5
54"	1	53" 55"		54.3		69.8	69.8
56"	- 	55"		52.4	52.4	80.0	
24"		23"	1	80.0	80.0	-	80.0
30"		29"		80.0	80.0	80.0	80.0
36"	97"	35"	96"	75.6	75.6	80.0	80.0
42"	1	41"		65.2	65.2	80.0	80.0
48"	1	47"		60.6	60.6	80.0	80.0
49"	 	48"		59.6	59.6	80.0	80.0
24"	102"	23"		80.0	80.0	80.0	80.0
30"		29"	101"	80.0	80.0	80.0	80.0
36"		35"		74.6	74.6	80.0	80.0
42"		41"		65.7	65.7	80.0	80.0
46"	1	45"		59.3	59.3	80.0	80.0
24"		23"		80.0	80.0	80.0	80.0
30"		29"	-	80.0	0.08	80.0	80.0
36"	108*	35"	107"	73.8	73.8	80.0	80.0
42"		41"	1	62.4	62.4	80.0	80.0
44"		43"		59.1	59.1	80.0	80.0


DESIGN LOAD CAPACITY - PSF							
FLANGE DIMS.		BUCK DIMS.		GLASS TYPES 'C'&'C1'		GLASS TYPES 'D'&'D1'	
WIDTH (W)	LENGTH (L)	WIDTH (W)	LENGTH (L)	EXT.(+)	1NT.(-)	EXT.(+)	1NT.(-)
24"		23"	113"	80.0	80.0	80.0	80.0
30"	114"	29"		80.0	80.0	80.0	80.0
36"		35"		73.0	73.0	80.0	80.0
41"		40"		61.4	61.4	80.0	80.0
24"	120"	23"	119"	80.0	80.0	80.0	80.0
30"		29"		80.0	80.0	80.0	80.0
36"		35"		72.4	72.4	80.0	80.0
39"		38"		65.9	65.9	80.0	80.0
24"		23"	120"	80.0	80.0	80.0	80.0
30"	121*	29"		80.0	80.0	80.0	80.0
36"		35"		72.3	72.3	80.0	80.0
39"		38"		65.8	65.8	80.0	80.0

DESIGN LOAD CAPACITY - PSF							
FLANGE DIMS.		BUCK DIMS.		GLASS TYPES 'C'&'C1'		GLASS TYPES 'D'&'D1'	
WIDTH (W)	LENGTH (L)	WIDTH (W)	LENGTH (L)	EXT.(+)	1NT.()	EXT.(+)	1NT.(-)
19-1/8"		18-1/8"		80.0	80.0	80.0	80.0
26-1/2"		25-1/2"	25"	80.0	80.0	80.0	80.0
37"	00#	36"		80.0	80.0	80.0	0.08
48"	26"	47"		80.0	80.0	0.08	80.0
53-1/8"		52-1/8"		80.0	80.0	80.0	80.0
61"		60"		80.0	80.0	80.0	80.0
19-1/8"		18-1/8"		80.0	80.0	80.0	80.0
26-1/2"		25-1/2"	37-3/8"	80.0	80.0	80.0	80.0
37"	70 7 /0#	36"		80.0	80.0	80.0	80.0
48"	38-3/8"	47"		77.1	77.1	80.0	80.0
53-1/8"		52-1/8"		77.1	77.1	80.0	80.0
61"		60"		77.1	77.1	80.0	0.08
19-1/8"		18-1/8"	49-5/8"	80.0	80.0	80.0	80.0
26-1/2"		25-1/2"		80.0	80.0	80.0	80.0
37"	50 5 /0"	36"		80.0	80.0	80.0	80.0
48"	50-5/8"	47"		61.3	61.3	80.0	80.0
53-1/8"		52-1/8"		58.0	58.0	77.4	77.4
61"		60"		58.0	58.0	77.4	77.4
75-1/4"		74-1/4"		58.0	58.0	77.4	77.4
93-3/4"		92-3/4"		58.0	58.0	76.5	76.5
19-1/8"		18-1/8"		80.0	80.0	80.0	80.0
26-1/2"		25-1/2"		80.0	80.0	80.0	80.0
37"		36"		80.0	80.0	80.0	80.0
48"	63"	47"	62"	61.3	61.3	80.0	80.0
53-1/8"		52-1/8"		55.3	55.3	73.7	73.7
61"		60"		48.0	48.0	64.0	64.0
75-1/4"		74-1/4"		46.5	46.5	61.9	61.9
19-1/8"	76"	18-1/8"	75"	80.0	80.0	80.0	80.0
26-1/2"		25-1/2"		80.0	80.0	80.0	80.0
37"		36"		78.9	78.9	80.0	80.0
48"		47"		61.3	61.3	80.0	80.0
53-1/8"		52-1/8"		55.3	55.3	73.7	73.7
61"	1	60"		48.0	48.0	64.0	64.0

ANCHOR SPACING TO BE AS PER SHEETS 1 & 1.1



WIDTH AND LENGTH DIMENSIONS CAN BE ORIENTED VERTICALLY OR HORIZONTALLY AS SHOWN ABOVE.



GLASS CAPACITIES ON THIS SHEET ARE BASED ON ASTM E1300-09 (3 SEC. GUSTS) AND FLORIDA BUILDING COMMISSION DECLARATORY STATEMENT DCA05-DEC-219

> Engr: JAVAD AHMAD CIVIL FLA. PE # 70592 C.A.N. 3538 OCT 06 2014

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 14-0731.05
Expiration Date 50 pt. 22, 2015
By Miami Dade Product Control

01-30scale: . dr. by: date:


AL-FAROOQ CORP.
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL (305) 264-8100 FAX. (305) 262-6978

(L.M.I.)(S.M.I.)

| SERIES SENTINEL 130 ALUM FIXED WINDOW (L. CGI WINDOWS & DOORS 10100 N.W. 25TH STREET MIAMI, FL. 33172 TEL (305) 593-65

drawing no. W10 - 02

sheet 2 of 6



SERIES SENTINEL 130 ALUM FIXED WINDOW 2 DOORS STREET প্র WINDOWS & 200 N.W. 25TH 11, FL. 33172 (305) 593-6590 000 Š 왕 || 유 || 충 drawing no. W10 - 02sheet 3 of 6

W C


TYPICAL INSTALLATION DETAILS THESE DETAILS ARE TYPICAL ON ALL FOUR SIDES OF WINDOW

TYPICAL EDGE DISTANCE


INTO CONCRETE AND MASONRY = 2-1/2" MIN. INTO WOOD STRUCTURE = 1" MIN. INTO METAL STRUCTURE = 3/4" MIN.


CONCRETE AT HEAD, SILL OR JAMBS f'c = 3000 PSI MIN. C-90 HOLLOW/FILLED BLOCK AT JAMBS f'm = 2000 PSI MIN.


INSTALLATION DETAILS INTO METAL




INSTALLATION DETAILS THRU 1X












STRUCTURES OR INTO APPROVED MULLIONS




EQUAL LEG




EQUAL LEG





EQUAL LEG



TYPICAL ANCHORS: SEE ELEV. FOR SPACING

1/4" DIA, TAPCON BY 'ITW' (Fu=120 KSI, Fy=92 KSI) 1/4" DIA. ULTRACON BY 'ELCO' (Fu=177 KSI, Fy=155 KSI) INTO 2BY WOOD BUCKS OR WOOD STRUCTURES 1-1/2" MIN. PENETRATION INTO WOOD

THRU 1BY BUCKS INTO CONC. OR MASONRY 1-1/4" MIN. EMBED INTO CONC. OR MASONRY

DIRECTLY INTO CONC. OR MASONRY 1-1/4" MIN. EMBED INTO CONC. OR MASONRY #14 SMS OR SELF DRILLING SCREWS (GRADE 2 CRS)


INTO METAL STRUCTURES

STEEL: 12 GA. MIN. (Fy = 36 KSI MIN.) ALUMINUM: 1/8" THK. MIN. (6063-T5 MIN.) (STEEL IN CONTACT WITH ALUMINUM TO BE PLATED OR PAINTED)

#14 SMS OR SELF DRILLING SCREWS (GRADE 2 CRS)

INTO MIAMI-DADE COUNTY APPROVED MULLIONS (MIN. THK. = .090") (NO SHIM SPACE)

WOOD BUCKS AND METAL STRUCTURE NOT BY CGI WDW. MUST SUSTAIN LOADS IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM TO THE BUILDING STRUCTURE.



PRODUCT REVISED as complying with the Florida Building Code Acceptance No 14-0731.05 Expiration Date 5ept. 22, 2015

Miami Dade Product Control

drawing no. W10 - 02

1/2"

scale: 益

01-30-

revisions
no date
A 08.13.10
B 09.13.10
C 02.28.11
D 10.10.11

AL-FAROOQ CORP.
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 331.74
TEL (305) 264.8100 FAX. (305) 262-6978


(L.M.I.)(S.M.I.)


WINDOW

130 ALUM FIXED


CGI WINDOWS & DOORS 10100 N.W. 25TH STREET MIAMI, FL. 33172 rel. (305) 593-6590 FAX. (305) 59

sheet 4 of 6





ITEM	PART #	QUANTITY	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
E1.	- CGI118	4/ WDW.	FLANGE FRAME	6063-T6	
E2 .	CGI-119	4/ WDW.	FLUSH FRAME/FIN FRAME	6063-T6	
. E3	. CGI-121 .	4/ WDW.	GLAZING BEAD (LAM. GLASS)	6063-T6	-
E4 -	-CGI-123	4/ WDW.	GLAZING BEAD (LAM. INSUL. GLASS)	6063-T6	
E5 .	CGI110	4/ WDW.	NAIL FIN ADAPTOR	6063-T6	-
E6	· CGI-109	4/ WDW.	FRONT FLANGE ADAPTOR	.6063-T6	-
M1	- CGI382V .	AS REQD.	GLAŽING BULB VINYL	PVC	DUROMETER 75-80 SHORE A
M2 ·	. CGI-124	AS REQU.	SCREW COVER- OPTIONAL	PVC	_
-м3	CGI-112	AS REQD.	FLUSH FRAME COVER	PVC	-
M4 -		OPTIONAL	GLAZING ANGLE (1 X 1/2 X 1/8")	6063-T5	
М5	<u>-</u>	2/ LITE	SETTING BLOCKS	EPDM	DUROMETER 85±5 SHORE A
S2	#10 X 1-1/4"	2/ CORNER	ASSEMBLY SCREW PHL. PH SMS	ST/ST	_



TYP. CORNER DETAILS

Engr: JAVAD AHMAD CIVIL FLA. PE # 70592 C.A.N. 3538 OCT/06 2014

CODUCT REVISED

os complying with the Florida

Building Code

Acceptance No 14-0731.05

Expiration Date Sept. 27,2015 By///wwwell Just Mianui Dade Product Control

date	Sod	<u>۾</u> ۾	충
dro	wing	9	по.
W	10	-()2

sheet 6 of 6

01-30-10

SERIES SENTINEL 130 ALUM FIXED WINDOW

CGI WINDOWS & DOORS 10100 N.W. 25TH STREET MIAMI, FL. 33172